

# Notice of Allowability

Application No.

10/820,266

Examiner

Hung T. Vy

Applicant(s)

MASUTANI, TAKESHI

Art Unit

2821

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 3/29/2006.
2. ☒ The allowed claim(s) is/are 1,2 and 4-10.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
**DONWONG**  
**SUPERVISORY PATENT EXAMINER**

1. As of entry of the amendment filed on dated 03/29/2006, claims 1-2, and 4-10 are pending in this application with result of the cancellation of claim 3. Upon reconsideration, the rejection of claims 1-2 and 4-10 by Du et al. mailed on 01/23/2006 is hereby withdrawn. Claims **1-2, and 4-10** are allowed.

#### **Reasons for Allowance**

2. Claims 1-2, and 4-10 are allowed

The following is an examiner's statement of reason for allowance:

With respect to claim 1-2, and 4-10, none of the references of record teaches or suggests the claimed a multiple antenna, comprising, along with all the other claimed feature, a ground electrode, a dielectric substrate, a planar antenna, **a first upper antenna** electrode disposed above the planar electrode with a give space in between such that the upper antenna electrode faces the planar antenna electrode, the first upper antenna electrode has **a first opening facing** the planar antenna electrode and **second upper antenna electrode** above and facing the planar antenna electrode and second upper antenna electrode **having a second opening**, said second upper antenna electrode in said first opening.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

### Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung VY whose telephone number is (571) 272-1954. The examiner can normally be reached on Monday-Friday 8:30 am - 5:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DON WONG can be reached on (571) 272-1834. The fax numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 308-7722 for After Final communications.


Information regarding the status of an application may be obtained from the patent Application Information Retrieval (PAIR) system. Status information for published application may be obtained from either private Pair or Public Pair. Status information for unpublished applications is available through Private Pair only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have question on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hung T. Vy  
Art Unit 2821  
April 26, 2006.

  
**DON WONG**  
**SUPERVISORY PATENT EXAMINER**

Application/Control Number: 10/820,266  
Art Unit: 2821

Page 4

  
DON WONG  
SUPERVISORY PATENT EXAMINER